

POP display



SPX®

Power Team®
powerteam.com

Point of Purchase Display

FEATURES

- Removable products allow customers to touch and feel the product.
- Removable products enables distributors to sell directly from the showroom floor.
- Configurable design allows for distributors to display product that sells well in their region
- Storage area under bottom shelf allows for convenient storage of additional literature and instruction manuals from product on display.

RULES

Order \$15,000 USD minimum in qualifying products from SPX and receive a complimentary product display stand.

1. All items must be placed on the same Purchase Order to SPX Hydraulic Technologies.
2. Order must be \$15,000 USD net.
3. The order must include at least 1 each of the "required items" listed on page 2 of this brochure. The remainder of the order can be from any of the other products listed on page 4.
4. In exchange for the display, your company agrees to:
 - a. Keep the display fully stocked by replacing any items which are sold
 - b. Display only genuine **Power Team** product

INSTRUCTIONS

After you have placed your order with SPX for \$15,000 in product, follow these instructions to receive your Point of Purchase (POP) display.

1. Copy the "Order Form" found on page 3.
2. Fill out the "Company Information" section at the top of the page. (You may want to make a copy of the form at this point).
 - a. For the physical address, use location where the display should be sent.
3. Complete the remainder of the form. If you need more lines, use the copy you made in step 2.
 - a. To reduce paperwork, if your order exceeds \$15,000, you can stop writing items once your total exceeds \$15,000.
4. Scan a copy of your PO along with this form then email it to your local Power Team sales representative.



ITEMS REQUIRED ON POP DISPLAY (Quantity listed below must be included in purchase order)

Item	Description	Qty
C1010C	CYL, 10 TON, 10-1/8" STROKE	1
9670	TEE ADPT, 1/4", 3/8" NPTF F, 3/8" NPTF M	1
9040	GAUGE, 2.5" UNIVERSAL, FILLED, 2500/500 PSI	1
9042DG	GAUGE, DIGITAL PRESSURE, 10,000 PSI	1
9798	HALF COUPLER, HYD, 3/8" NPTF M	1
9754	HOSE, PU W/9798 3/8" NPTF .25" INT DIA, 6'	1
RLS100	CYL, 10 TON, 7/16" STROKE	1
9105A	SIDEWINDER JACK, 5 TON, 3/4" STROKE	1

Item	Description	Qty
RH102	CYL, 10 TON, 2-1/2" STROKE	1
PA6	PUMP, AIR/HYDRAULIC	1
9796	KIT, HYD COUPLER 3/8" NPTF F, W/DUST CAP	1
P59L	PUMP, HAND/HYD - 2 SPEED	1
7167	JIMMY BAR, 3/4" ROUND, 24" LONG	1
7165	PRY BAR, 3/4" ROUND, 18" LONG	1
IJ13T	INFLATABLE JACK, 1.1 TON, 3.1" LIFT	1

Rules listed are for customers inside the USA. In order to comply with import/export regulations, slight variations to these rules may exist for customers outside the USA. If the shipping destination of the display is outside the USA, please contact your local Power Team sales representative for rules specific to the destination country. SPX reserves the right, at our sole discretion, to change, modify or otherwise alter the rules; or to suspend or cancel this promotion at any time and without prior notice.

Power Team® Point of Purchase (POP) Display Order Form

Company Name: _____ Address L1: _____
 Contact Person: _____ Address L2: _____
 Name: _____ Address L3: _____
 E-Mail: _____ City/State/Zip: _____
 Phone: _____ Country: _____
 Your PO #: _____ SPX Acknowledged SO #: _____ (optional, but helpful)

	REQUIRED	OPTIONAL (HERE FOR YOUR CONVENIENCE)			REQUIRED	
	Item	List Price	Discount	Your Price	Qty.	Ext. Price
1		\$	%	\$		\$
2		\$	%	\$		\$
3		\$	%	\$		\$
4		\$	%	\$		\$
5		\$	%	\$		\$
6		\$	%	\$		\$
7		\$	%	\$		\$
8		\$	%	\$		\$
9		\$	%	\$		\$
10		\$	%	\$		\$
11		\$	%	\$		\$
12		\$	%	\$		\$
13		\$	%	\$		\$
14		\$	%	\$		\$
15		\$	%	\$		\$
16		\$	%	\$		\$
17		\$	%	\$		\$
18		\$	%	\$		\$
19		\$	%	\$		\$
20		\$	%	\$		\$
21		\$	%	\$		\$
22		\$	%	\$		\$
23		\$	%	\$		\$
24		\$	%	\$		\$
25		\$	%	\$		\$
26		\$	%	\$		\$
27		\$	%	\$		\$
28		\$	%	\$		\$
29		\$	%	\$		\$
30		\$	%	\$		\$

If you need more than one page, be sure to fill out page #'s. PG _____ of _____

ORDER NO.	DESCRIPTION	ORDER NO.	DESCRIPTION	ORDER NO.	DESCRIPTION
P12	PUMP, HAND 1-STAGE, 0.069 CU IN/STROKE	RA556	CYL, 55 TON, 6-1/8" STROKE	PT208	PULLER MANUAL 2JAW-12TON
P159	HAND PUMP, 2-SPD, .160-2.6 CU IN/STROKE	RA556L	CYL, 55 TON, 6" STROKE	PT210	PULLER MANUAL 2JAW-14TON
P19	HAND PUMP, 2-SPD, .076-.305 CU IN/STROKE	RD2514	CYL, 25 TON, 14-1/4" STROKE	PTPHA-106	HYDRAULIC PULLER 3JAW 5TON - SET
P19L	HAND PUMP, 2-SPD, LT WT, .076-.305 CU IN	RD256	CYL, 25 TON, 6-1/4" STROKE	PTPHA-108	HYDRAULIC PULLER 3JAW 10TON - SET
P300	HAND PUMP, 2-SPD, .160-2.6 CU IN/STROKE	RD5513	CYL, 55 TON, 13" STROKE	PTPHA-113	HYDRAULIC PULLER 3JAW 25TON - SET
P460	HAND PUMP, 2-SPD, .294-7.35 CU IN/STROKE	RD556	CYL, 55 TON, 6-1/4" STROKE	PTPHB-110	PULLER, SET HYD 15T 3J C1510C
P55	HAND PUMP, 1-SPD, .160 CU IN/STROKE	RD8013	CYL, 80 TON, 13-1/8" STROKE	PTPHB-113	PULLER, SET HYD 25T 3J C2514C
P59	HAND PUMP, 2-SPD, .305 CU IN/STROKE	RH102	CYL, 10 TON, 2-1/2" STROKE	PTPHB-116	PULLER, SET HYD 50T 3J C5513C
P59L	PUMP, HAND/HYD - 2 SPEED	RH203	CYL, 20 TON, 3" STROKE	7165	PRY BAR, 3/4" ROUND, 18" LONG
PA172	PUMP, AIR - 17 CU IN, 2 GAL RES	RH302	CYL, 30 TON, 2-1/2" STROKE	7167	JIMMY BAR, 3/4" ROUND, 24" LONG
PA174	PUMP, AIR - 17 CU IN/MIN, 2 GAL RES	RH306	CYL, 30 TON, 6" STROKE	HP35	HYDR PUNCH, 35 TON
PA554	PUMP, AIR/HYD - 46-55CU IN/MIN	RH603	CYL, 60 TON, 3" STROKE	HP35S	HYDR PUNCH SET W/ PUNCH AND DIES
PA6	PUMP, AIR/HYDRAULIC	RH606	CYL, 60 TON, 6" STROKE	HP35SP	HYDR PUNCH SET W/ ACCESSORIES
PA6D	PUMP, AIR/HYDRAULIC	RLS100	CYL, 10 TON, 7/16" STROKE	HT200	HYDR TESTER - 200 GPM, 0-5000 PSI
PA6M	PUMP, AIR/HYDRAULIC	RLS200	CYL, 20 TON, 7/16" STROKE	HT50A	HYDR TESTER, 50 GPM, 0-5000 PSI
PA9	PUMP, AIR/HYDRAULIC	RLS300	CYL, 30 TON, 1/2" STROKE	HT75	HYDR TESTER - 75 GPM
PE172	PUMP,E17 CU IN/MIN, 110/115V, 50/60 HZ	RLS50	CYL, 5 TON, 9/16" STROKE	9040	GAUGE,2.5"UNIVERSAL,FILLED, 2500/500 PSI
PE174	PMP,E 17 CU IN/MIN, 110/115V 50/60HZ S/D	RLS500S	CYL, 50 TON, 5/8" STROKE	9041	GAUGE,2.5", UNIVERSAL, DRY, 2500/500PSI
PE182	PUMP,E 18 CU IN/MIN, 110/115VAC, 50/60HZ	RSS1002	CYL, 100 TON, 2-1/4" STROKE	9042DG	GAUGE, DIGITAL PRESSURE, 10,000 PSI
PE550	PUMP, ELEC 115V 60HZ	RSS101	CYL, 10 TON, 1-1/2" STROKE	9052	GAUGE, 4", UNIVRSL, FILLED, 10k/200 PSI
PE552	PUMP,E 55 CU IN/MIN, 110/115VAC,50/60HZ	RSS202	CYL, 20 TON, 1-3/4" STROKE	9500	VALVE, PM, MANUAL, 4W 3P,TANDEM CTR
PE552S	PUMP,E 55 CU IN/MIN, 110/115VAC,50/60HZ	RSS302	CYL, 30 TON, 2-7/16" STROKE	9506	VALVE, PM, MANUAL, 4W 3P TANDEM CTR
PE553	PUMP,E 55 CU IN/MIN, 110/115VAC,50/60HZ	RSS502	CYL, 50 TON, 2-3/8" STROKE	9575	VALVE, SHUT OFF, 3/8" NPTF PORTS
PE554	PUMP,E 55 CU IN/MIN, 110/115VAC,50/60HZ	9105A	SIDEWINDER JACK, 5 TON, 3/4" STROKE	9582	VALVE, PM, MANUAL, 3W 2P
PE554PT	PUMP,E 55 CU IN/MIN, 110/115VAC,50/60HZ	9205A	SIDEWINDER JACK, 5 TON, 1-1/2" STROKE	9584	VALVE, PM, MANUAL, 3W 2P
PE554S	PUMP, ELEC/HYD - 115V 60 Hz	9210A	SIDEWINDER JACK, 10 TON, 1-3/16" STROKE	9596	VALVE, LOAD LOWERING, RM, MANUAL
C1010C	CYL, 10 TON 10-1/8" STROKE	9220A	SIDEWINDER JACK, 20 TON, 1-3/16" STROKE	9628	VALVE, PM, MANUAL, POST TENSIONING
C1014C	CYL, 10 TON 14-1/8" STROKE	IJ119T	INFLATABLE JACK, 11.0 TON, 8.5" LIFT	9633	PRESURE REGULATOR VALVE, IN-LINE
C101C	CYL, 10 TON 1" STROKE	IJ13T	INFLATABLE JACK, 1.1 TON, 3.1" LIFT	9644	MANIFOLD, 4 NEEDLE VALVES, 3/8" NPTF
C102C	CYL, 10 TON 2-1/8" STROKE	IJ2211T	INFLATABLE JACK, 22.0 TON, 11.4" LIFT	9670	TEE ADPT, 1/4", 3/8" NPTF F, 3/8" NPTF M
C104C	CYL, 10 TON 4-1/8" STROKE	IJ3615T	INFLATABLE JACK, 35.3 TON, 15" LIFT	9720-HT	VALVE, COUNTER BALANCE
C106C	CYL, 10 TON 6-1/8" STROKE	IJ4516T	INFLATABLE JACK, 44.1 TON, 15.9" LIFT	9754	HOSE,PU W/9798 3/8"NPTF .25" INT DIA, 6'
C1510C	CYL, 15 TON, 10-1/8" STROKE	IJ45T	INFLATABLE JACK, 3.3 TON, 5.1" LIFT	9756	HOSE, RUBBER .25" INTERNAL DIA, 6'
C254C	CYL, 25 TON, 4" STROKE	IJ66T	INFLATABLE JACK, 5.5 TON, 5.9" LIFT	9758	HOSE, RUBBER .25" INTERNAL DIA, 10'
C256C	CYL, 25 TON, 6-1/4" STROKE	IJ7520T	INFLATABLE JACK, 73.8 TON, 20.5" LIFT	9764	HOSE,PU W/ M QCK CPLR .25" INT'L DIA 6'
C258C	CYL, 25 TON, 8-1/4" STROKE	SJ2010DA	POST TENSION JACK, 20 TON, 8.5" STROKE	9767	HOSE, POLYURETHANE .25" INT'L DIA, 6'
C53C	CYL, 5 TON, 3-1/4" STROKE	SJ3010DA	POST TENSION JACK, 30 TON, 8.5" STROKE	9769	HOSE, POLYURETHANE .25" INT'L DIA, 10'
C556C	CYL, 55 TON, 6-1/4" STROKE	PT102	PULLER MANUAL 3JAW-1TON	9776	HOSE, RUBBER .38" INTERNAL DIA, 6'
C55C	CYL, 5 TON, 5-1/4" STROKE	PT103	PULLER MANUAL 3JAW-2TON	9777	HOSE, RUBBER .38" INTERNAL DIA, 10'
R10010D	CYL, 100 TON, 10" STROKE	PT104	PULLER MANUAL 3JAW-5TON	9794	QUICK COUPLER, COMPLETE
R1006C	CYL, 100 TON, 6" STROKE	PT106	PULLER MANUAL 3JAW-10TON	9795	QUICK COUPLER, COMPLETE
R1502C	CYL, 150 TON, 2" STROKE	PT108	PULLER MANUAL 3JAW-17TON	9796	KIT, HYD COUPLER 3/8" NPTF F, W/DUSTCAP
R1506C	CYL, 150 TON, 6" STROKE	PT110	PULLER MANUAL 3JAW-20TON	9798	HALF COUPLER, HYD, 3/8" NPTF M
R1506D	CYL, 150 TON, 6" STROKE	PT113	PULLER MANUAL 3JAW-30TON		
RA1006	CYL, 100 TON, 6-1/4" STROKE	PT116	PULLER MANUAL 3JAW-40TON		
RA1006L	CYL, 100 TON, 6-1/4" STROKE	PT204	PULLER MANUAL 2JAW-2TON		
RA5510	CYL, 55 TON, 10" STROKE	PT206	PULLER MANUAL 2JAW-6TON		

Contact SPX Customer Service Center for more details.

CUSTOMER SERVICE CENTERS

World Headquarters

The Americas
Rockford, Illinois USA

5885 11th Street
Rockford, IL 61109
USA

Customer Service/Order Entry
Tel: +1 800 541 1418
Fax: +1 800 288 7031
Technical Services
Tel: +1 800 477 8326
info@powerteam.com

European Headquarters
Africa and Middle East

Albert Thijsstraat 12
6471 WX Egelshoven
The Netherlands

Customer Service
Tel: +31 45 567 8877
Fax: +31 45 567 8878
infoeurope@powerteam.com

Asia Pacific Headquarters
(Except China)

26 Soon Lee Road
Singapore 628086
Singapore

Customer Service
Tel: +65 6265 3343
Fax: +65 6265 6646
infoasia@powerteam.com

China

No. 1568 Hua Shan Road
Treasury Building 11th Floor
Shanghai 200052, China

Customer Service
Tel: +86 21 2208 5888
Fax: +86 21 2208 5682
infochina@powerteam.com